




# COLOP<sup>®</sup>


MARKING SOLUTIONS



The Spirit of Innovation



# Index



Printer Line Standard ..... 4  
Printer Line Rectangular, Oblong, Square, Round ..... 5-9  
Printer Line Dater Rectangular, Square, Round ..... 10-13  
Printer S200, Mini-Dater ..... 14-15



Expert Line - with Microban® antibacterial protection ..... 17-18  
Classic Line - with Microban® antibacterial protection ..... 19-22  
Office Line ..... 23




Green Line ..... 25-26



Stamp Mouse ..... 28



D-I-Y Sets ..... 30-31



Spare Pads ..... 32-33



Band Stamps, Special Characters ..... 35-37  
Die-Plate-Daters ..... 38  
Stamp Pads, Stamp Inks ..... 39  
Laser Rubber ..... 40

# About us



## Global Player

We are an International company with a distribution network in more than 120 countries world-wide. We are a major player in the stamp industry and have achieved an outstanding position in the market.



## Innovation & Design

With our innovative ideas, modern design and product enhancements, we constantly strive to improve the quality and durability of our products. By means of ideas and creativity we continuously set new trends in our business.



## Marking Solutions

We offer an extensive range of stamps for all requirements and areas of business - from traditional office stamps to pocket stamps. COLOP stamps are available in many shapes and sizes. In addition we have stamp ranges which offer special features. COLOP "Green Stamps" are made of primarily ecological materials. COLOP stamps with Microban® antibacterial protection inhibit the growth of harmful bacteria. In addition COLOP offers all necessary products and systems to provide a high quality stamp impression. Sophisticated e-solutions for the creation of text plates for online sales complete the range.



## Quality

COLOP's quality management system has been certified according to ISO 9001 for several years. This ensures that products and services are subjected to regulated quality criteria. The certification according to ISO 14001 in 2008 confirms that COLOP possesses a functioning and fully integrated ENVIRONMENTAL SYSTEM.



## Environmental Management

Environmental responsibility is a central philosophy in our company. Our ecological orientation is reflected in an ISO 14001/2004 certificate for Environmental Management. We endeavor to make the biggest possible contribution to protect and preserve our environment. Several years ago we included this subject in our "COLOP-Mission" and developed a comprehensive and sustainable environmental concept as well as ecologically orientated products.



## High Tech Production

Fully automated production and assembling of the main product lines assures excellent quality as well as providing the capacity for further expansion and securing the site in the long term. The production processes are set up with the environment in mind. We base our responsibility for the environment on the following philosophy in order to avoid waste:

Avoidance **OVER** reduction **OVER** utilization **OVER** rejection

# Printer Line

The largest range of self-inking stamps



The Printer Line offers a complete choice of sizes from small and handy up to large and generous - the largest range of formats up to round, oval and even triangle.



The X-Large image window provides additional space for branding and personalisation



Original COLOP pads guarantee clear imprints - easy, clean and proven pad exchange



Personalisation from TOP TO BOTTOM



Various models are available as date stamps or even numbering stamps

## Printer 10

size of imprint	10 x 27 mm 3/8" x 1 1/16"
recommended number of lines	3
packaging	
spare pad	E/10



*Kenneth Clark*  
Unit 90A, Valepits Road, Barretts Grove  
Birmingham B66 9TD  
10 x 27 mm      3/8" x 1 1/16"

## Printer 20

size of imprint	14 x 38 mm 9/16" x 1 1/2"
recommended number of lines	4
packaging	
spare pad	E/20
specials: Green Line	



**MARY COOPER**  
28 Huddlecote Road • Gloucester GL5 9TH  
Tel: 1452 54 33 21  
e-mail: mary@cooper.co.uk  
14 x 38 mm      9/16" x 1 1/2"

## Printer 30

size of imprint	18 x 47 mm 3/4" x 1 7/8"
recommended number of lines	5
packaging	
spare pad	E/30
specials: Green Line	



**GORDON WALKER**  
5 Moore Road, Aberdeen AB13 6BE  
Tel: 1234 80 63 62  
mobile: 0555 456 890  
e-mail: gordon@walker.co.uk  
18 x 47 mm      3/4" x 1 7/8"

## Printer 40

size of imprint	23 x 59 mm 15/16" x 2 3/8"
recommended number of lines	6
packaging	
spare pad	E/40
specials: Green Line	



**RED SKIES LTD**  
Advertising Agency  
Parker Tower 43  
49 Parker St WC2B 5PS London  
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19  
e-mail: red@skies\_ltd.co.uk  
23 x 59 mm      15/16" x 2 3/8"

## Printer 50

size of imprint	30 x 69 mm 1 1/4" x 2 3/4"
recommended number of lines	7
packaging	
spare pad	E/50/1



**LANCASTER GARDEN PRODUCTS**  
Gardening - Equipment and Supplies  
Stockton Lane • York YO65 5UE  
Tel: 1555 40 01 41  
Fax: 1555 40 01 85  
e-mail: lancaster@garden.co.uk  
e-mail: garden@equip\_supplies.co.uk  
30 x 69 mm      1 1/4" x 2 3/4"

## Printer 60

size of imprint	37 x 76 mm 1 1/2" x 3"
recommended number of lines	8
packaging	
spare pad	E/60



**BRITISH CARGO OVERSEAS**  
**INTERNATIONAL TRANSPORT LTD**  
North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0123 456 7890  
Fax: 0123 456 7891  
sales@britishcargooverseas.co.uk  
www.britishcargooverseas.com  
37 x 76 mm      1 1/2" x 3"



## Printer 52

size of imprint	20 x 30 mm 3/4" x 1 1/8"
recommended number of lines	5
packaging	
spare pad	E/52



Henry Fauntleroy  
*Antiques*

398 Wayward Rd  
Leighton Buzzard LU8 1UA  
Tel: 01555 688777

20 x 30 mm      3/4" x 1 1/8"

## Printer S 200

size of imprint	24 x 45 mm 1" x 1 3/4"
recommended number of lines	6
packaging	
spare pad	E/200



**Australian National  
Flag Association**  
365 KENT STREET  
SYDNEY 2000 AUSTRALIA  
Ph. (02) 223 45 78 Fax: (02) 223 67 35

24 x 45 mm      1" x 1 3/4"



## Printer 53

size of imprint	30 x 45 mm 1 3/16" x 1 3/4"
recommended number of lines	7
packaging	
spare pad	E/53



**The KENMORE  
Bar & Restaurant**

The Square  
Aberfeldy PH15 2HH  
Tel :+44 1887 830205  
Fax :+44 1887 830262  
the-kenmore@restaurant.co.uk

30 x 45 mm      1 3/16" x 1 3/4"

## Printer 54

size of imprint	40 x 50 mm 1 9/16" x 1 15/16"
recommended number of lines	8
packaging	
spare pad	E/54








**AFRICAN PALM TREE  
Country Club**

Tree Cain Rd  
Bracknell LE11 1EP  
Tel: 01234 611613  
Tel: 01234 611614  
Fax - 15  
Fax - 16

40 x 50 mm      1 9/16" x 1 15/16"



**Printer 55**






size of imprint	40 x 60 mm 1 9/16" x 2 3/8"
recommended number of lines	8
packaging	   
spare pad	 E/55



40 x 60 mm

1 9/16" x 2 3/8"

**Printer 15**

size of imprint	10 x 69 mm 3/8" x 2 3/4"
recommended number of lines	3
packaging	   
spare pad	 E/15





\* new design available from quarter 3 2012



10 x 69 mm

3/8" x 2 3/4"

**Printer 25**

size of imprint	15 x 75 mm 5/8" x 3"
recommended number of lines	4
packaging	   
spare pad	 E/25






\* new design available from quarter 3 2012



15 x 75 mm

5/8" x 3"

**Printer 45**

size of imprint	25 x 82 mm 1" x 3 1/4"
recommended number of lines	6
packaging	   
spare pad	 E/45

\* new design available from quarter 3 2012







25 x 82 mm

1" x 3 1/4"





## Printer Q 12

size of imprint	12 x 12 mm 1/2" x 1/2"
recommended number of lines	3
packaging	
spare pad	 E/Q12
specials: cover   keyring	 



12 x 12 mm  
1/2" x 1/2"

## Printer Q 17


size of imprint	17 x 17 mm 5/8" x 5/8"
recommended number of lines	4
packaging	
spare pad	 E/Q17



17 x 17 mm  
5/8" x 5/8"

## Printer Q 24

size of imprint	24 x 24 mm 1" x 1"
recommended number of lines	6
packaging	
spare pad	 E/Q24



24 x 24 mm 1" x 1"



## Printer Q 30


size of imprint	31 x 31 mm 1 1/4" x 1 1/4"
recommended number of lines	7
packaging	
spare pad	 E/Q30



31 x 31 mm 1 1/4" x 1 1/4"




## Printer Q 43

size of imprint	43 x 43 mm 1 5/8" x 1 5/8"
recommended number of lines	10
packaging	
spare pad	 E/Q43



43 x 43 mm 1 5/8" x 1 5/8"




## Printer R 12

size of imprint	Ø 12 mm 1/2" dia.
recommended number of lines	2
packaging	
spare pad	 E/R12
specials: cover   keyring	



Ø 12 mm  
1/2" dia.



## Printer R 17

size of imprint	Ø 17 mm 5/8" dia.
recommended number of lines	3
packaging	
spare pad	 E/R17
specials: cover   keyring	



Ø 17 mm  
5/8" dia.





## Printer R 24

size of imprint	Ø 24 mm 1" dia.
recommended number of lines	4
packaging	
spare pad	 E/R24



Ø 24 mm 1" dia.

## Printer R 30

size of imprint	Ø 30 mm 1 1/4" dia.
recommended number of lines	5
packaging	
spare pad	 E/R30
spare pad (2-colour)	 E/R30/2
specials: cover	



Ø 30 mm 1 1/4" dia.



# Printer Line Round

## Printer R 40

size of imprint	Ø 40 mm 1 5/8" dia.
recommended number of lines	7
packaging	
spare pad	E/R40
spare pad (2-colour)	E/R40/2
specials: cover	



## Printer R 45

size of imprint	Ø 45 mm 1 3/4" dia.
recommended number of lines	9
packaging	
spare pad	E/R45
specials: cover	





## Printer R 50

size of imprint	Ø 50 mm 2" dia.
recommended number of lines	9
packaging	
spare pad	E/R50
spare pad (2-colour)	E/R50/2
specials: cover	







# Printer Line Dater Rectangular

## Printer 52-Dater

size of imprint	20 x 30 mm 3/4" x 1 1/8"
height of date	3 mm #1, 1/8"
recommended number of lines	3*
packaging	
spare pad	 E/52






## Printer S 260

size of imprint	24 x 45 mm 1" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3*
packaging	
spare pad	 E/200
spare pad (2-colour)	 E/200/2
specials: Green Line	






## Printer 53-Dater

size of imprint	30 x 45 mm 1 3/16" x 1 3/4"
height of date	3 mm #1, 1/8"
recommended number of lines	5*
packaging	
spare pad	 E/53
spare pad (2-colour)	 E/53/2



## Printer 54-Dater




size of imprint	40 x 50 mm 1 9/16" x 1 15/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7*
packaging	
spare pad	 E/54
spare pad (2-colour)	 E/54/2



\* includes one line for the date

# Printer Line Dater Rectangular

## Printer 55-Dater



size of imprint	40 x 60 mm 1 3/8" x 2 3/8"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7 *
packaging	
spare pad	 E/55
spare pad (2-colour)	 E/55/2



40 x 60 mm

1 3/8" x 2 3/8"

## Printer 60-Dater M



size of imprint	37 x 76 mm 1 1/2" x 3"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7 *
packaging	
spare pad	 E/60




37 x 76 mm

1 1/2" x 3"

## Printer 60-Dater Double Date



size of imprint	37 x 76 mm 1 1/2" x 3"
height of date	3 mm #1, 1/8"
recommended number of lines	7 *
packaging	
spare pad	 E/60



37 x 76 mm

1 1/2" x 3"

## Printer 60-Dater L/R



size of imprint	37 x 76 mm 1 1/2" x 3"
height of date	3 mm #1, 1/8"
recommended number of lines	7 *
packaging	
spare pad	 E/60




37 x 76 mm

1 1/2" x 3"

**Printer 60-Dater H**



size of imprint	76 x 37 mm 3" x 1 1/2"
height of date	3 mm #1, 1/8"
recommended number of lines	16 *
packaging	
spare pad	 E/60



76 x 37 mm

3" x 1 1/2"

**Printer Q 24-Dater**



size of imprint	24 x 24 mm 1" x 1"
height of date	2 mm #0, 3/32"
recommended number of lines	5 *
packaging	
spare pad	 E/Q24



24 x 24 mm

1" x 1"

**Printer Q 30-Dater**




size of imprint	31 x 31 mm 1 1/4" x 1 1/4"
height of date	3 mm #1, 1/8"
recommended number of lines	5 *
packaging	
spare pad	 E/Q30



31 x 31 mm

1 1/4" x 1 1/4"

**Printer Q 43-Dater**

size of imprint	43 x 43 mm 1 5/8" x 1 5/8"
height of date	3 mm #1, 1/8"
recommended number of lines	9 *
packaging	
spare pad	 E/Q43
spare pad (2-colour)	 E/Q43/2



43 x 43 mm

1 5/8" x 1 5/8"

\* includes one line for the date

## Printer R 24-Dater

size of imprint	Ø 24 mm 1" dia.
height of date	2 mm #0, 3/32"
recommended number of lines	2 *
packaging	
spare pad	E/R24




## Printer R 30-Dater

size of imprint	Ø 30 mm 1 1/4" dia.
height of date	3 mm #1, 1/8"
recommended number of lines	4 *
packaging	
spare pad	E/R30
specials: cover	



## Printer R 40-Dater

size of imprint	Ø 40 mm 1 5/8" dia.
height of date	3 mm #1, 1/8"
recommended number of lines	6 *
packaging	
spare pad	E/R40
spare pad (2-colour)	E/R40/1 DATER/2
specials: cover	



## Printer R 50-Dater

size of imprint	Ø 50 mm 2" dia.
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	8 *
packaging	
spare pad	E/R50
spare pad (2-colour)	E/R50 DATER/2
specials: cover	



## Printer S 220

height of date	4 mm #1 1/2, 5/32"
packaging	
spare pad	E/200
specials: Green Line	



NOV 12 2020

## Printer S 226

height of numbers	4 mm #1 1/2, 5/32"
packaging	
spare pad	E/200
specials: Green Line   S 226 special characters	



1 2 3 4 5 6

## Printer S 200

size of imprint	24 x 45 mm 1" x 1 3/4"
recommended number of lines	6
packaging	
spare pad	E/200




24 x 45 mm

1" x 1 3/4"

## Printer S 226/P

size of imprint	24 x 45 mm 1" x 1 3/4"
height of numbers	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	E/200
spare pad (2-colour)	E/200/2
specials: special characters	



24 x 45 mm

1" x 1 3/4"

## Printer S 260

size of imprint	24 x 45 mm 1" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	E/200
spare pad (2-colour)	E/200/2
specials: Green Line	



24 x 45 mm

1" x 1 3/4"

\* includes one line for the date





Mini-Dater S 120	
height of date	4 mm #1 1/2, 5/32"
packaging	#1 1/2, 5/32"
spare pad	E/10



NOV 12 2020

Mini-Dater S 126	
height of numbers	4 mm #1 1/2, 5/32"
packaging	#1 1/2, 5/32"
spare pad	E/10



1 2 3 4 5 6

Mini-Dater S 120/13	
height of numbers	4 mm #1 1/2, 5/32"
packaging	#1 1/2, 5/32"
spare pad	E/12



1 2 3 4 5 6 7 8 9 0 1 2 3



Mini-Dater S 120/P	
size of imprint	10 x 25 mm 3/8" x 1"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	2
packaging	#1 1/2, 5/32"
spare pad	E/12
spare pad (2-colour)	E/12/2



CHECKED BY  
GEORGE BARET NOV 12 2020  
10 x 25 mm 3/8" x 1"

Mini-Dater S 160	
size of imprint	5 x 25 mm 1/4" x 1 1/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	#1 1/2, 5/32"
spare pad	E/10
spare pad (2-colour)	E/10/2



5 x 25 mm 1/4" x 1 1/16"  
GEORGE BARET  
EXPORT DEPARTMENT  
NOV 12 2020

Mini-Print S 110	
size of imprint	8 x 52 mm 5/16" x 2 1/16"
recommended number of lines	2
packaging	#1 1/2, 5/32"
spare pad	E/12



.....  
Henry Wellington - Managing Director  
8 x 52 mm 5/16" x 2 1/16"



# Heavy Duty


Expert Line, Classic Line, Office Line



Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.



Expert Line: Heavy Duty - Metal equals stability and durability - minimum 80% pure steel



Band cover for clean handling



Index window shows imprint and even offers space for further personalisation



Easy to change ink pads





3160 Microban	
size of imprint	24 x 41 mm 1" x 1 5/8"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	E/2100
spare pad (2-colour)	E/2100/2



24 x 41 mm 1" x 1 5/8"

3360 Microban	
size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	5 *
packaging	
spare pad	E/2300
spare pad (2-colour)	E/2300/2



30 x 45 mm 1 1/4" x 1 3/4"




R 3040-Dater Microban	
size of imprint	Ø 40 mm 1 5/8" dia.
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7
packaging	
spare pad	E/R2040
spare pad (2-colour)	E/R2040/2



Ø 40 mm 1 5/8" dia.



3960 Microban	
size of imprint	55 x 106 mm 2 3/16" x 4 3/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	11 *
packaging	
spare pad	E/3900
spare pad (2-colour)	E/3900/2



55 x 106 mm 2 3/16" x 4 3/16"

\* includes one line for the date

**3100 Microban**

size of imprint	24 x 41 mm 1" x 1 5/8"
recommended number of lines	6
packaging	
spare pad	E/2100



**JANET WEBBERLEY**

WINIFRED HOUSE  
CORNELLS LANE  
WIDDINGTON  
ESSEX CB11 3SP  
TEL: 01799 540846

24 x 41 mm 1" x 1 5/8"

**3300 Microban**

size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
recommended number of lines	7
packaging	
spare pad	E/2300



SOLD BY  
**PAUL'S  
PLUMBING SHOP**  
418 HILLSIDE AVENUE  
TAMPA, FLORIDA 94836  
PHONE: 348-9762

30 x 45 mm 1 1/4" x 1 3/4"

**R 3040 Microban**

size of imprint	Ø 40 mm 1 5/8" dia.
recommended number of lines	7
packaging	
spare pad	E/R2040
spare pad (2-colour)	E/R2040/2



Ø 40 mm 1 5/8" dia.

**3900 Microban**

size of imprint	55 x 106 mm 2 3/16" x 4 3/16"
recommended number of lines	12
packaging	
spare pad	E/3900



**British Cargo Overseas**  
**International Transport LTD**  
Office Department: Jack-Nick Olsen

North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0207 659 2132-15, Fax: 0207 659 2132 -781  
E-Mail: office@britishcargooverseas.co.uk  
Homepage: www.britishcargooverseas.com

Signature & Order Number: \_\_\_\_\_

55 x 106 mm 2 3/16" x 4 3/16"

\* includes one line for the date



2160 Microban	
size of imprint	24 x 41 mm 1" x 1 5/8"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	E/2100
spare pad (2-colour)	E/2100/2



24 x 41 mm 1" x 1 5/8"

2360 Microban	
size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	5 *
packaging	
spare pad	E/2300
spare pad (2-colour)	E/2300/2
specials: Green Line	



30 x 45 mm 1 1/4" x 1 3/4"

2460 Microban	
size of imprint	27 x 58 mm 1 1/8" x 2 5/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	5 *
packaging	
spare pad	E/2600
spare pad (2-colour)	E/2600/2



27 x 58 mm 1 1/8" x 2 5/16"



2660 Microban	
size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7 *
packaging	
spare pad	E/2600
spare pad (2-colour)	E/2600/2
specials: Green Line	



37 x 58 mm 1 1/2" x 2 5/16"

- 2660/S3
- 2660
- 2660/S4

2860 Microban	
size of imprint	49 x 68 mm 2" x 2 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	9 *
packaging	
spare pad	E/2800
spare pad (2-colour)	E/2800/2



49 x 68 mm 2" x 2 3/4"





2100 Microban	
size of imprint	24 x 41 mm 1" x 1 5/8"
recommended number of lines	6
packaging	
spare pad	E/2100



**JANET WEBBERLEY**  
 WINIFRED HOUSE  
 CORNELLS LANE  
 WIDDINGTON  
 ESSEX CB11 3SP  
 TEL: 01799 540846

24 x 41 mm      1" x 1 5/8"

2300 Microban	
size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
recommended number of lines	7
packaging	
spare pad	E/2300
specials: Green Line	



SOLD BY  
**PAUL'S**  
**PLUMBING SHOP**  
 418 HILLSIDE AVENUE  
 TAMPA, FLORIDA 94836  
 PHONE: 348-9762

30 x 45 mm      1 1/4" x 1 3/4"

2400 Microban	
size of imprint	27 x 58 mm 1 1/8" x 2 5/16"
recommended number of lines	6
packaging	
spare pad	E/2600



**REDWOOD**  
 Garden Centre  
 Unit 15 Bristol Rd  
 Edgewater TA8 9AW  
 tel: 01234 - 497128  
 fax 01234 - 497129

27 x 58 mm      1 1/8" x 2 5/16"



2600 Microban	
size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
recommended number of lines	8
packaging	
spare pad	E/2600
specials: Green Line	



**AUSTRALIAN**  
**NATIONAL FLAG**  
**ASSOCIATION**  
 365 KENT STREET  
 SYDNEY 2000 AUSTRALIA  
 Ph. (o2) 223 45 78 Fax: (o2) 223 67 35

37 x 58 mm      1 1/2" x 2 5/16"

2800 Microban	
size of imprint	49 x 68 mm 2" x 2 3/4"
recommended number of lines	10
packaging	
spare pad	E/2800



ALL DIMENSIONS ARE CERTIFIED  
 AS ON ORIGINAL DRAFT

REVISIONS MADE ARE RECORDED  
 AND FILED BY THE FOLLOWING:

_____ Initials & Date	_____ Dept.
_____ Initials & Date	_____ Dept.
_____ Initials & Date	_____ Dept.

49 x 68 mm      2" x 2 3/4"



\* includes one line for the date

**R 2045 Microban**


size of imprint	Ø 45 mm 1 3/4" dia.
recommended number of lines	7
packaging	
spare pad	E/R45



**R 2045 6 Microban**

**R 2045 UZ Microban**

size of imprint	Ø 45 mm 1 3/4" dia.
size of imprint R2045 UZ	Ø 40 mm 1 5/8" dia.
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	6 *
packaging	
spare pad	E/R45
spare pad (2-colour)	E/R45/2




**2000/P Microban**

size of imprint	10 x 26 mm 3/8" x 1"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	2 *
packaging	
spare pad	E/2600




**2106/P Microban**


size of imprint	24 x 41 mm 15/16" x 1 5/8"
height of numbers	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	E/2100
spare pad (2-colour)	E/2100/2
specials: special characters	



2008/P Microban	
size of imprint	30 x 58 mm 1 1/8" x 2 5/16"
height of numbers	5 mm #2, 3/16"
recommended number of lines	5 *
packaging	
spare pad	E/2600
specials: special characters	



2010/P Microban	
size of imprint	30 x 58 mm 1 1/8" x 2 5/16"
height of numbers	5 mm #2, 3/16"
recommended number of lines	5 *
packaging	
spare pad	E/2600
specials: special characters	



2100/3 Microban	2100/4 Microban	2000/5 Microban
height of date <b>2100/3</b>	3 mm #1, 1/8"	
spare pad	E/2100	
height of date <b>2100/4</b>	4 mm #1 1/2, 5/32"	
spare pad	E/2100	
height of date <b>2000/5</b>	5 mm #2, 3/16"	
spare pad	E/2300	
packaging		



NOV 12 2020      2100/3  
 NOV 12 2020      2100/4  
 NOV 12 2020      2000/5

2106 Microban	2008 Microban	2010 Microban
height of numbers <b>2106</b>	4 mm #1 1/2, 5/32"	
spare pad	E/2100	
height of numbers <b>2008</b>	5 mm #2, 3/16"	
spare pad	E/2600	
height of numbers <b>2010</b>	5 mm #2, 3/16"	
spare pad	E/2600	
packaging		
specials: special characters		



123456      2106  
 12345678      2008  
 1234567890      2010

\* includes one line for the date






S 360	
size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	5 *
packaging	
spare pad	E/2300
spare pad (2-colour)	E/2300/2



30 x 45 mm 1 1/4" x 1 3/4"

S 660	
size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7 *
packaging	
spare pad	E/2600
spare pad (2-colour)	E/2600/2



37 x 58 mm 1 1/2" x 2 5/16"



S 300	
size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
recommended number of lines	7
packaging	
spare pad	E/2300



30 x 45 mm 1 1/4" x 1 3/4"

S 400	
size of imprint	27 x 58 mm 1 1/8" x 2 5/16"
recommended number of lines	6
packaging	
spare pad	E/2600



27 x 58 mm 1 1/8" x 2 5/16"



S 600	
size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
recommended number of lines	8
packaging	
spare pad	E/2600



37 x 58 mm 1 1/2" x 2 5/16"

# Green Line

We take responsibility



The self-inking stamp range predominantly made from sustainable and recycled material. A minimum of between 75% and 80% recycled plastic is used.



The mark of responsible forestry

The Classic Green Line handles are FSC® certified (Forest Stewardship Council®)




The Green Line range was audited during the ISO 14001 accreditation process






Green Stamps are CO<sub>2</sub> neutral - unavoidable CO<sub>2</sub> emissions are compensated by means of investment into climate protection projects (GOLD STANDARD Projects), based on the system boundary "cradle to gate".



The packaging materials are made from recycled cardboard




**Printer 20 Green Line** 



size of imprint	14 x 38 mm 9/16" x 1 1/2"
recommended number of lines	4
packaging	
spare pad	 E/20



**MARY GREENSHINE**  
Greenwheel Park Ind  
Glasgow G34 9LS  
Tel: 1234 810058

14 x 38 mm      9/16" x 1 1/2"

**Printer 30 Green Line** 


size of imprint	18 x 47 mm 3/4" x 1 7/8"
recommended number of lines	5
packaging	
spare pad	 E/30





**GORDON GREENLEAF**  
Emerald-Green Lane Park  
Aberdeen AB13 7BE  
Tel: 1234 921068  
e-mail: gordon@greenleaf.com

18 x 47 mm      3/4" x 1 7/8"




**Printer 40 Green Line** 

size of imprint	23 x 59 mm 15/16" x 2 3/8"
recommended number of lines	6
packaging	
spare pad	 E/40






**GREEN LINE LTD**  
Advertising Agency  
Parker Tower 43  
49 Parker St, London WC2B 5PS  
Tel: 01234 743060 - Fax: 01234 743063  
e-mail: green@line-ltd.co.uk

23 x 59 mm      15/16" x 2 3/8"

**Printer S 220 Green Line** 

**Printer S 226 Green Line**


height of date /numbers	4 mm #1 1/2, 5/32"
packaging	
spare pad	 E/200
specials S226: special characters	






NOV 12 2020



1 2 3 4 5 6

**Printer S 260 Green Line** 

size of imprint	24 x 45 mm 1" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	3 *
packaging	
spare pad	 E/200
spare pad (2-colour)	 E/200/2



**SHIPPED**

NOV 12 2020

BY .....

24 x 45 mm      1" x 1 3/4"

\* includes one line for the date



**2300 Green Line**



size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
recommended number of lines	7
packaging	
spare pad	E/2300



**GREEN LINE SECURITY LTD**  
 174a - 175c South Huntington Lane  
 Bristol BS8 2TL  
 Tel: 123 907 56 05  
 Fax: 123 908 58 75  
 e-mail: [green-line@security.co.uk](mailto:green-line@security.co.uk)

30 x 45 mm                      1 1/4" x 1 3/4"

**2360 Green Line**



size of imprint	30 x 45 mm 1 1/4" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	5 *
packaging	
spare pad	E/2300
spare pad (2-colour)	E/2300/2



**RECEIVED  
 GREEN LINE AGENCY**

**NOV 12 2020**

Unit 37 The Emerald Centre, 2nd Way  
 Wembley HA3 9JD

30 x 45 mm                      1 1/4" x 1 3/4"

**2600 Green Line**



size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
recommended number of lines	8
packaging	
spare pad	E/2600



**BRITISH GREEN FLAG ASSOCIATION**

Unit 54b Severnside Trading Estate  
 Hemel Hempstead HP8 7YU  
 Tel: 1234 42 82 00, Fax: 1234 42 83 34  
 e-mail: [british-green-flag@association.co.uk](mailto:british-green-flag@association.co.uk)  
[www.british-green-flag-association.co.uk](http://www.british-green-flag-association.co.uk)

37 x 58 mm                      1 1/2" x 2 5/16"

**2660 Green Line**



size of imprint	37 x 58 mm 1 1/2" x 2 5/16"
height of date	4 mm #1 1/2, 5/32"
recommended number of lines	7 *
packaging	
spare pad	E/2600
spare pad (2-colour)	E/2600/2



★★★ **Green Line** ★★★  
**INTERNATIONAL BANK PLC**

**NOV 12 2020**

Green Lane 2-7 Moorgate, London EC4R 9JH  
 Tel: 01234 767999, Fax: 01234 767998  
 e-mail: [green@line\\_inter-bank.co.uk](mailto:green@line_inter-bank.co.uk)

37 x 58 mm                      1 1/2" x 2 5/16"

\* includes one line for the date

# Stamp Mouse

Essential companions



**Multifunctional and always with you - on your desk in the office, or "on the road" in a pocket, around the neck or on a keyring.**




Modern design - minimized and reduced to the essential.



Never lose your Stamp Mouse with the COLOP Lanyard




Small, smart and portable - with a clip it goes everywhere



Easy and flexible to use - effortless and clean

# Stamp Mouse

## Stamp Mouse 20

size of imprint	14 x 38 mm 9/16" x 1 1/2"
recommended number of lines	4
packaging	




### THOMAS JERRY

Mouse Avenue 115  
Mice City, MC 194058  
e-mail: thomas@jerry.com

14 x 38 mm

9/16" x 1 1/2"

## Stamp Mouse 30

size of imprint	18 x 47 mm 3/4" x 1 7/8"
recommended number of lines	5
packaging	



### THOMAS A. JERRY


Mouse Avenue 123  
Mice City, MC 191087  
e-mail: thomas@jerry.com  
www.thomas-a-jerry.com

18 x 47 mm

3/4" x 1 7/8"

## Stamp Mouse R 30

size of imprint	Ø 30 mm 1 1/4" dia.
recommended number of lines	5
packaging	



Ø 30 mm

1 1/4" dia.

## Stamp Mouse R 40

size of imprint	Ø 40 mm 1 5/8" dia.
recommended number of lines	7
packaging	




Ø 40 mm

1 5/8" dia.

## Accessory: Clip

clear-transparent clip	121051
packaging	

## Accessory: Lanyard

black lanyard (ca. 45 cm)	110001
packaging	



# DIY Stamps


Express yourself - impress the rest



The COLOP range of D-I-Y stamps combines the functional advantages of self-inking stamps with the ability to set and create an individual message. D-I-Y stamps are available as typical office stamps as well as handy portable stamps.



Attractive packaging - stands out in every retail outlet



Flexibility to change as often as required



Easy setting of an individual text plate using the tweezers supplied



With pictograms and symbols - always on the leading edge

**Printer 30/2 Set**

size of imprint	18 x 47 mm 3/4" x 1 7/8"
max. number of lines	5
max. letters per line	21
type set	TS 25/2.5 mm 3/32" TS 35/3.5 mm 1/8"
packaging	
spare pad	E/30



18 x 47 mm

3/4" x 1 7/8"

**Printer 40/2 Set**

size of imprint	23 x 59 mm 15/16" x 2 3/8"
max. number of lines	6
max. letters per line	26
type set	TS 25/2.5 mm 3/32" TS 35/3.5 mm 1/8"
packaging	
spare pad	E/40



23 x 59 mm

15/16" x 2 3/8"

**Printer S 260 Set**

size of imprint	24 x 45 mm 1" x 1 3/4"
height of date	4 mm #1 1/2, 5/32"
max. number of lines	2
max. letters per line	16
type set	TS 40/4 mm 5/32"
packaging	
spare pad (2-colour)	E/200/2



24 x 45 mm

1" x 1 3/4"







# Spare Pads

**Colop Spare Pads**


The inks used in COLOP® pads for self-inking stamps are tested and certified as permanent, document-proof ink according to DIN (Deutsche Industrie Norm) ISO 14145-2.



Do not reink



packaging

## Spare Pads



Printer 10 Printer C 10 Mini-Dater S 120 Mini-Folio S 126 Mini-Info S 120/W Mini-Dater S 160	<b>E/10</b>
Mini-Print S 110 Mini-Folio S 120/13 Mini-Info-Dater S 120/WD Mini-Dater S 120/DD Mini-Dater S 120/P Mini-Dater S 160/DD	<b>E/12</b>
Printer 15	<b>E/15</b>
Printer 20 Printer C 20	<b>E/20</b>
Printer 25	<b>E/25</b>
Printer 30 Printer C 30	<b>E/30</b>
Printer 35 Printer 35-Dater	<b>E/35</b>
Printer 38 Printer 38-Dater	<b>E/38</b>
Printer 40 Printer C 40	<b>E/40</b>
Printer 45	<b>E/45</b>
Printer 50 Printer C 50	<b>E/50/1</b>
Printer 52 Printer 52-Dater	<b>E/52</b>
Printer 53 Printer 53-Dater	<b>E/53</b>
Printer 54 Printer 54-Dater	<b>E/54</b>
Printer 55 Printer 55-Dater	<b>E/55</b>
Printer 60 Printer C 60 Printer 60-Dater	<b>E/60</b>
Printer R 12	<b>E/R 12</b>
Printer R 17	<b>E/R 17</b>
Printer R 24 Printer R 24-Dater	<b>E/R 24</b>

Printer R 30 Printer R 30-Dater	<b>E/R 30</b>
Printer R 40 Printer R 40-Dater - "12/24-Hours"	<b>E/R 40</b>
Printer R 45 Printer R 45-Dater Classic R 2045 Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	<b>E/R 45</b>
Printer R 50 Printer R 50-Dater	<b>E/R 50</b>
Printer Oval 44	<b>E/Oval 44</b>
Printer Oval 55 Printer Oval 55-Dater	<b>E/Oval 55</b>
Printer T 45 Printer T 45-Dater	<b>E/T 45</b>
Printer Q 12	<b>E/Q 12</b>
Printer Q 17	<b>E/Q 17</b>
Printer Q 24 Printer Q 24-Dater	<b>E/Q 24</b>
Printer Q 30 Printer Q 30-Dater	<b>E/Q 30</b>
Printer Q 43 Printer Q 43-Dater	<b>E/Q 43</b>
Printer S 200 Printer S 260 Printer S 220 Printer S 220/W Printer S 226 Printer S 226/P	<b>E/200</b>
Expert R 3040 Expert R 3040-Dater	<b>E/R 2040</b>
Classic 2100 Classic 2100/3 Classic 2100/4 Classic 2100/W Classic 2106 Classic 2106/P Classic 2160 Expert 3100 Expert 3160	<b>E/2100</b>

Classic 2300 Classic 2360 Classic 2006 Expert 3300 Expert 3360 Office S 300 Office S 360	<b>E/2300</b>
Expert 3400	<b>E/3400</b>
Classic 2400 Classic 2460 Classic 2008 Classic 2010 Classic 2000/P Classic 2000/WD Classic 2600 Classic 2660 Classic 2008/P Classic 2010/P Expert 3600 Expert 3660 Office S 400 Office S 600 Office S 608 Office S 608/P Office S 610 Office S 610/P Office S 660	<b>E/2600</b>
Expert 3700	<b>E/3700</b>
Classic 2800 Classic 2860 Expert 3800 Expert 3860	<b>E/2800</b>
Expert 3900 Expert 3960 Expert 3960 S3 / S4 Expert 3960 Double Date	<b>E/3900</b>
Pocket Stamp 20	<b>E/Pocket Stamp 20 *</b>
Pocket Stamp 30 Pocket Stamp Oval 30	<b>E/Pocket Stamp 30 *</b>
Pocket Stamp Q 25 Pocket Stamp R 25	<b>E/Pocket Stamp 25 *</b>
Pocket Stamp R 30	<b>E/Pocket Stamp R 30 *</b>
Pocket Stamp R 40	<b>E/Pocket Stamp R 40 *</b>
Mini Pocket Stamp	<b>E/Mini Pocket *</b>

# Spare Pads

## 2-Colour Ink Pads

Printer S 260 Printer S 260/L Printer S 260/RL Printer S 226/P	<b>E/200/2</b>
Printer R 30	<b>E/R 30/2</b>
Printer R 40	<b>E/R 40/2</b>
Printer R 40-Dater	<b>E/R 40/1 Dater/2</b>
Printer R 45-Dater Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	<b>E/R 45 Dater/2</b>
Printer Q 43-Dater	<b>E/Q 43/2</b>
Printer R 50	<b>E/R 50/2</b>
Printer R 50-Dater	<b>E/R 50 Dater/2</b>
Printer 53-Dater	<b>E/53/2</b>
Printer 54-Dater	<b>E/54/2</b>
Printer 55-Dater	<b>E/55/2</b>

## 2-Colour Ink Pads

Printer 35-Dater	<b>E/35/2</b>
Printer 38-Dater	<b>E/38/2</b>
Expert R 3040-Dater	<b>E/R 2040/2</b>
Classic 2160 Classic 2160/RL Classic 2106/P Expert 3160	<b>E/2100/2</b>
Classic 2360 Classic 2006/P Expert 3360 Office S 360 Office S 360/RL	<b>E/2300/2</b>
Classic 2460 Classic 2660 Expert 3660 Office S 660	<b>E/2600/2</b>
Expert 3760	<b>E/R 3700/2</b>
Classic 2860 Expert 3860	<b>E/2800/2</b>
Expert 3960	<b>E/3900/2</b>

## 2-Colour Ink Pads

Mini-Dater S 160 Mini-Dater S 160/L	<b>E/10/2</b>
--	---------------

## 2-Colour Ink Pads

Mini-Dater S 120/WD	<b>E/12/2</b>
Printer 20	<b>E/20/S6</b>
Printer 30	<b>E/30/S6</b>
Printer 40	<b>E/40/S6</b>
Printer 50	<b>E/50/S6</b>

## Cartridge Ballpoint pen

Stampwriter Pen Stamp Alu Magnet	<b>D1</b>
-------------------------------------	-----------

## Felt Pads

Spare pads are also available as felt pads, with the exception of those marked \*. Felt pads are used for special inks, ie, oil or solvent based inks, for example, COLOP Quick Drying Ink 802.

## Spare Pads for Other Models



4204 4254 4117 45510 45510/PL	<b>E/4204</b>
4207 4470	<b>E/4207</b>
4208 4258 4480 4485 5208 5480	<b>E/4208</b>
4200 4250 4430 4431 4022 4030 4031 4034 4546 4548 5200 5030 5430 5431 5546	<b>E/4430</b>
4203 4253 4440 4558 4558/PL 4610 5203 5440 5253	<b>E/4440</b>
4206 4256 4420 4460 4465 5204 5206	<b>E/4460</b>

5460 5117 5558 5558/PL 55510 55510/PL	<b>E/4460</b>
46130	<b>E/46030</b>
46140	<b>E/46040</b>
46145 46045	<b>E/R 45</b>
4750 4760	<b>E/4750</b>
4817	<b>E/4817</b>
4850	<b>E/4850</b>
4910 4810	<b>E/4910</b>
4911 4800 4820 4822 4846 4951	<b>E/4911</b>
4912 4952 496201-04	<b>E/4912</b>
4913 4953	<b>E/4913</b>
4915	<b>E/4915</b>
4916	<b>E/4916</b>
ALPO 20	<b>E/020</b>
ALPO 30	<b>E/030</b>
ALPO 40	<b>E/040</b>
ALPO 50	<b>E/050</b>
ALPO 60	<b>E/060</b>
ALPO 65	<b>E/065</b>
ALPO 70	<b>E/070</b>
ALPO 80	<b>E/080</b>
ALPO 90	<b>E/090</b>

4922	<b>E/4922</b>
4923 4930	<b>E/4923</b>
4924 4940 4724 4740	<b>E/4924</b>
4926	<b>E/4926</b>
4927 4727 4957	<b>E/4927</b>
4928	<b>E/4928</b>

## Spare Pads

4430 4430/L 4431 4435	<b>E/4430/2</b>
5430 5430/L 5431 5435	<b>E/5430/2</b>
4440	<b>E/4440/2</b>
4420 4425 4460 4465 4620	<b>E/4460/2</b>
4750 4750/L 4755	<b>E/4750/2</b>
4850/L	<b>E/4850/2</b>

# Band Stamps

Tradition in reliable quality



**Traditional rubber stamps with deep moulded bands for use with a separate stamp pad. Available as date stamps or numbering stamps.**



Economical and functional – available in many different sizes and character measures



A sturdy metal frame makes this band stamp a long-lasting marking device







Special characters are available for the majority of the models



Ergonomically designed handles for comfortable use

# Band Stamps







03000	
height of date	3 mm #1, 1/8"
packaging	   






NOV 12 2020



04000	
height of date	4 mm #1 1/2, 5/32"
packaging	   







NOV 12 2020

05000	
height of date	5 mm #2, 3/16"
packaging	   



NOV 12 2020



07000	
height of date	7 mm 1/4"
packaging	   



NOV 12 2020

# Band Stamps

## Numbering Stamps

Numbering stamps with 4, 6, 8, 10, and 12 bands in 3, 4, 5, 7, 9, 12, 15, 18 mm.

Combinations with letter bands A-M and N-Z or other figures, letters, signs or phrases made to order upon request.

Bands 3 - 15 mm = 0 bis 9 / - .  
18 mm = 0 bis 9 / -

specials: special characters



03004 1 2 3 4

03006 1 2 3 4 5 6

03008 1 2 3 4 5 6 7 8

03010 1 2 3 4 5 6 7 8 9 0

3 mm  
#1, 1/8"

03012 1 2 3 4 5 6 7 8 9 0 1 2

4 mm | #1 1/2, 5/32"

1 2 3 4 5 6 7 8 9 0 1 2

04004 | 04006 | 04008 | 04010 | 04012

5 mm | #2, 3/16"

1 2 3 4 5 6 7 8 9 0 1 2

05004 | 05006 | 05008 | 05010 | 05012

7 mm | 1/4"

1 2 3 4 5 6 7 8 9 0 1 2

07004 | 07006 | 07008 | 07010 | 07012

9 mm | 3/8"

1 2 3 4 5 6 7 8 9 0 1 2

09004 | 09006 | 09008 | 09010 | 09012

12 mm | 1/2"

1 2 3 4 5 6 7 8 9 0 1 2

12004 | 12006 | 12008 | 12010 | 12012

15 mm | 5/8"

1 2 3 4 5 6 7 8 9 0 1 2

15004 | 15006 | 15008 | 15010 | 15012



# Special Characters

Band	Band "Standard"	Band "Euro"	Band "kg"	Band "c"	Band "x"	Band "¼"	Band "A-M"	Band "N-Z"
Band consists of numbers 0-9 as well as the special characters. A blank is included with every band except "Euro".	0-9	0-9	0-9	0-9	0-9	0-9	Band consists of letters A - M	Band consists of letters N - Z
	/	№	kg	,	/	¼		
	-	€	%	F	-	½	Without special characters and numbers	
	.	#	/	¢	x	¾		
		\$						

Following items are available with the bands mentioned above in any order:

Item	Height of characters	Number of bands	Sample imprint	
S 200	S 226 SZ	4 mm #1 1/2, 5/32"	6	2 4 , 5 0 %
	S 226/P SZ	4 mm #1 1/2, 5/32"	6	€ 9 0 , 2 0
CLASSIC LINE	2106 SZ	4 mm #1 1/2, 5/32"	6	# 5 8 9 4 2
	2106/P SZ	4 mm #1 1/2, 5/32"	6	4 5 4 , 5 kg
	2008 SZ	5 mm #2, 3/16"	8	№ 8 0 7 / 1 2 4
	2008/P SZ	5 mm #2, 3/16"	8	A B - 5 9 0 1 3
	2010 SZ	5 mm #2, 3/16"	10	S A 1 0 0 1 0 0 4 5
	2010/P SZ	5 mm #2, 3/16"	10	\$ 2 8 , 6 5 3 , 4 6
BAND STAMPS	03000 SZ	3 mm #0, 1/8"	4, 6, 8, 10, 12	# 2 6 7 9 / 4 6 - 4 6 7 <small>03004   03006   03008   03010   03012</small>
	04000 SZ	4 mm #1 1/2, 5/32"		7 6 9 4 8 2 4 6 5 1 M N <small>04004   04006   04008   04010   04012</small>
	05000 SZ	5 mm #2, 3/16"		A 6 4 6 - 6 7 6 / 4 4 2 <small>05004   05006   05008   05010   05012</small>
	07000 SZ	7 mm 1/4"		0 0 0 0 4 6 6 7 , 8 8 kg <small>07004   07006   07008   07010   07012</small>
	09000 SZ	9 mm 3/8"		0 C 0 0 0 0 0 8 9 0 / 0 9 <small>09004   09006   09008   09010   09012</small>
	12000 SZ	12 mm 1/2"		1 , 2 x 0 , 8 x 1 , 5 M <small>12004   12006   12008   12010   12012</small>
	15000 SZ	15 mm 5/8"		№ 4 7 9 0 / 0 8 8 - 6 3 <small>15004   15006   15008   15010   15012</small>

## P 700

height of date	4 mm #1 1/2, 5/32"
packaging	

## Plate sizes

P 700/33	35 x 45 mm 1 3/8" x 1 3/4"
P 700/11	35 x 50 mm 1 3/8" x 1 15/16"
P 700/14	35 x 70 mm 1 3/8" x 2 3/4"
P 700/32	51 x 51 mm 2" x 2"
P 700/15	40 x 54 mm 1 9/16" x 2 1/8"
P 700/17	40 x 70 mm 1 9/16" x 2 3/4"
P 700/18	50 x 70 mm 2" x 2 3/4"
P 700/19	Ø 51 mm 2" dia.

## P 700 with time plate

P 700/UZ/12H	Ø 50 mm 2" dia.
P 700/UZ/24H	Ø 50 mm 2" dia.
height of date	4 mm #1 1/2, 5/32"
packaging	





## P 700 Special Plates

height of date	4 mm #1 1/2, 5/32"
packaging	

## Special Plate sizes

P 700/S1	100 x 100 mm 3 15/16" x 3 15/16"
P 700/S2	90 x 55 mm 3 9/16" x 2 3/16"

Other special plate sizes and date positions upon request






## Stamp Pads Micro

size of Micro pad 1*	50 x 90 mm 2 1/4" x 3 1/2"
size of Micro pad 2*	70 x 110 mm 2 3/4" x 4 1/4"
size of Micro pad 3	90 x 160 mm 3 1/4" x 6 1/4"
colours	
packaging	
* new design available from quarter 3 2012	



## Stamp Pads Micro M

size of Micro pad M1	50 x 90 mm 2 1/4" x 3 1/2"
size of Micro pad M2	70 x 110 mm 2 3/4" x 4 1/4"
colours	
packaging	



## Stamp Pad Ink 801

content	25 ml
colours	
packaging	
water-based ink for foam and felt pads	
for use with rubber text plates and polymer text plates	
application: for all absorptive materials	



## Quick Drying Ink 802

content	25 ml	250 ml
colours		
packaging		
solvent based Ink for felt pads		
for use with rubber text plates		
application: for all absorptive and non absorptive materials except PE/PP		



## Ultraviolet Ink 804

content	25 ml	250 ml
colours		
packaging		
ink for standard pads and felt pads, visible under ultraviolet light		
for use with rubber text plates and polymer text plates		
application: for all absorptive materials		







## Archival Permanent Ink 805





content	25 ml	250 ml
colours		
packaging		
oil based ink for standard pads and felt pads		
for use with rubber text plates		
application: for all absorptive materials		



Other special inks upon request. For example finger print ink, security ink, textile marking ink.

Standard Laser Rubber	
size	A4 8 1/4" x 11 3/4"
hardness	60 Shore A
thickness	2,3 mm .090"
packaging	   



Odourless Laser Rubber	
size	A4 8 1/4" x 11 3/4"
hardness	60 Shore A
thickness	2,3 mm .090"
packaging	   



Legend			
Individual blister packaging		Packaging in individual box	
Masterbox		Individual box with flap	







WWW.COLOP.COM

